Pro Camera Accessories for ALEXA & AMIRA

Price List 10/2014

Pro Camera Accessories for ALEXA & AMIRA

Price List 10/2014

TABLE OF CONTENTS

Pro Camera Accessories

Support Systems 3

Electronic Control System 11

All sales are subject to our General Sale and Delivery Terms and Conditions for Merchants dated 01.01.2006
Prices, specifications and technical data contained herein are subject to change without notice
Terms of delivery: Ex factory Munich, packing, shipping and insurance charges not included. VAT not included
Export of all ARRI products to other countries only with ARRI's previous consent in writing
Effective 01. 10.2014 . All previous price lists are obsolete

Technical Data are subject to change without notice

Ident. Nr	Product Description	Price / EURO

Bridge Plate Adapter

K2.66172.0	**Bridge Plate Adapter BPA-2**	**75 €**
	With the BPA-2 attached, ALEXA, ALEXA Plus, ALEXA Plus 4:3, ALEXA M body, ALEXA XT, ALEXA XT Plus, ALEXA XT M body or adapter plate for Canon EOS C100 /300 /500 can be attached to a traditional ARRI cine-style bridge plate, including the BP-3, 5, 8 or 9. Attaches to the front foot of these cameras. Not needed on ALEXA Studio and ALEXA XT Studio. Note: the discontinued BPA-1 is almost identical, but not recommended with adapter plate for Canon EOS C100 /300 /500	

Top Handle Support

K2.73002.0	**Center Camera Handle, CCH-2**	**185 €**
	Attaches to the ALEXA M and ALEXA XT M head or Top Adapter Plate for Sony F-5/F-55 and provides numerous 3/8"-16 UNC threaded mounting points for accessory mounting.	

Film Style Bridge Plate Sets

Offers sturdy 15 mm and 19 mm studio support for traditional film and digital cameras; accompanies the range of ARRI bottom plates, up to 600 mm in length.

K0.71031.0	**Bridge Plate BP-12 Set**	**1.000 €**
	Compatible with ALEXA, ALEXA XT, ALEXA Plus, ALEXA XT Plus, ALEXA Plus 4:3, ALEXA XT M, ALEXA M body and Adapter Plate for Canon EOS C300. Not compatible with ALEXA Studio, ARRIFLEX and ARRICAM cameras. includes: K2.72004.0 1x BP-12 Bridge Plate K2.0000324 1x Bottom dove-tail plate 300 mm/12" K2.66270.0 1x Support rods 240 mm (9.4"), Ø 19 mm	
K0.60165.0	**Bridge Plate BP-13 Set**	**1.000 €**
	Comptible with ALEXA, ALEXA XT, ALEXA Plus, ALEXA XT Plus, ALEXA Plus 4:3, ALEXA M body and Adapter Plate for Canon EOS C300. Not compatible with ALEXA Studio, ARRIFLEX and ARRICAM cameras. includes: K2.72047.0 1x BP-13 Bridge Plate K2.0000324 1x Bottom dove-tail plate 300 mm/12" K2.66253.0 1x Support Rods 240 mm (9.4"), Ø 15 mm	
K2.47090.0	**Bridge Plate BP-8 Set (19 mm Rods)**	**1.150 €**
	Compatible with ALEXA Studio, ALEXA XT Studio, ALEXA M and ALEXA XT M head with ALEXA M Bridge Plate Adapter (AMB-1), ARRIFLEX 235, ARRIFLEX D-21, ARRIFLEX 435, Sony F23/35/65, SI-2K, Phantom, Weisscam HS-2, Mini Bridge Plate MBP-1 Pro BP, with adapter plate for EPIC/SCARLET. Through the use of the Bridge Plate Adapter BPA-1 (K2.72001.0) or BPA-2 (K2.66172.0) also compatible with ALEXA, ALEXA XT, ALEXA Plus, ALEXA Plus 4:3, ALEXA XT M and ALEXA M Body. Accepts 19 mm support rods. K4.47460.0 1x BP-8 Bridge Plate K2.0000324 1x Bottom dove-tail plate 300 mm/12" K2.0001022 1x Support rods 440 mm (17.3"), Ø 19 mm	
K2.47091.0	**Bridge Plate BP-9 Set (15 mm Rods)**	**1.150 €**
	Compatible with ALEXA Studio, ALEXA XT Studio, ARRIFLEX 235, ARRIFLEX D-21, ARRIFLEX 435, Sony F23/35/65, SI-2K, Phantom, Weisscam HS-2. Compatible with ALEXA or ALEXA Plus only with Bridge Plate Adapter BPA-1 (K2.72001.0). Accepts 15 mm support rods. includes: K4.47461.0 1x BP-9 Bridge Plate K2.0000324 1x Bottom dove-tail plate 300 mm/12" K2.0001031 1x Support Rods 440 mm (17.3"), Ø 15 mm	

Ident. Nr	Product Description	Price / EURO

Quick Release HD Baseplate Sets

A quick-release base plate system that is compatible with ALEXA, ALEXA XT, ALEXA Plus, ALEXA XT Plus, ALEXA M Body, ALEXA XT M Body, ALEXA Plus 4:3 and various video cameras. Uses ARRI studio support system rods and other components. Unique centering adjustment allows perfect fit with many video cameras.

K0.60098.0	**Quick Release Digi Cine Base Set 19 mm, 340 mm Rods**	**2.200 €**
	Fits to almost all ENG Broadcast Zoom and most of mid-size PL-mounted Zoom Lenses. includes: K2.47796.0 1x Quick-Release Digi Cine Base Plate, Basic Unit K2.47797.0 1x Bridge Plate Sled K2.0000324 1x Bottom dove-tail plate 300 mm/12" K2.47798.0 1x 19 mm Support Rod Holder K2.66269.0 1x Support rods 340 mm (13.4"), Ø 19 mm Fits to almost all ENG Broadcast Zoom and most of mid-size PL-mounted Zoom Lenses.	

Quick Release HD Baseplate - Single Parts

K2.0000399	**Quick Release Plate, QRP-1**	**595 €**
	Compatible with AMIRA, counterplate for the WPA-1, to be mounted on the tripod head	

Lens Support

K2.47227.0	**Lens Support LS-9 for Studio Bridge Plate (black)**	**410 €**
	The ARRI Lens Support LS-9 is an adjustable and lockable bridge that clips to 19 mm rods. The lens is secured via a 3/8-16" thumbscrew.	
K2.47228.0	**Lens Support LS-10 for Studio Bridge Plate (black)**	**410 €**
	The ARRI Lens Support LS-10 is an adjustable and lockable bridge that clips to 15 mm rods. The lens is secured via a 3/8-16" thumbscrew.	

Ident. Nr	Product Description	Price / EURO

Handgrips and Shoulder Support

ARRI handgrips and shoulder sets allow precise camera operating thanks to numerous set-up possibilities. Offset and extensions can be customised to the operator's needs. Strong steel ARRI rosette connections ensure stability and durability as well as compatibility with a vast pool of existing rosette-based accessories.

K0.0001249	**Handgrip Set Right**	**865 €**
	Lightweight and durable ergonomic handgrip based on ARRI rosettes. Can be attached to rod bridge supports such as UBS-2 and LBS-2 or directly to the camera native rosette mounts. Triggers run functionality on cameras fitted with 3-pin RS run signals, such as ALEXA, AMIRA and many third party cameras. K2.45886.0 1x Standard ARRIFLEX right-hand articulating Camera Handgrip K2.47863.0 1x Handgrip Extension, long	
K0.71033.0	**Handgrip Set**	**2.050 €**
	Heavy duty handgrip set. The handles offset is adjustable. Can be attached via short extensions and rosette offset brackets directly to the camera native rosette mounts. Triggers run functionality on cameras fitted with 3-pin RS run signals, such as ALEXA, AMIRA and many third party cameras. includes: K2.0001021 1x Articulating Handgrip Set K2.47136.0 2x Extension Tube for Handgrip K2.47648.0 2x Handgrip Extension, short 75 mm (3")	
K0.0000465	**LBS-2 Handgrip Set without on/off**	**860 €**
	This handgrip configuration can be used with any camera, fitting to 15 mm lightweight support rods includes: K2.47861.0 2x Handgrip without on/off switch K2.47863.0 2x Handgrip Extension, long K2.66275.0 1x Lightweight Bridge Support (LBS-2)	
K0.0001803	**LBS-2 Handgrip Set on/off RS 3-pin**	**1.060 €**
	Lightweight and durable handgrip set based on ARRI rosettes. Can be attached to 15mm LWS rods.Triggers run functionality on cameras fitted with 3-pin RS run signals, such as ALEXA, AMIRA and many third party cameras. includes: K2.47861.0 1x Handgrip without on/off switch K2.47862.0 1x Handgrip with on/off switch RS-3 pin K2.47863.0 2x Handgrip Extension, long K2.66275.0 1x Lightweight Bridge Support (LBS-2)	
K0.0002969	**LBS-2 Handgrip Set on/off Hirose 4-pin** **new**	**1.060 €**
	Lightweight and durable handgrip set based on ARRI rosettes. Can be attached to 15mm LWS rods.Triggers run functionality on cameras fitted with 4-pin Hirose run signals, such as Sony PMW F5 and F55. includes: K2.47861.0 1x Handgrip without on/off switch K2.66278.0 1x Handgrip on/off switch Hirose 4-pin K2.47863.0 2x Handgrip Extension, long 160 mm (6.3") K2.66275.0 1x Lightweight Bridge Support (LBS-2)	
K0.0000621	**UBS-2 Handgrip Set without on/off**	**915 €**
	This handgrip configuration can be used with any camera, fitting to 15 or 19 mm studio rods or 15 mm lightweight support rods Includes: K2.47861.0 1x Handgrip without on/off switch K2.47863.0 1x Handgrip Extension, long K2.66277.0 1x Universal Bridge Support (UBS-2)	

Ident. Nr	Product Description	Price / EURO
K0.0001804	**UBS-2 Handgrip Set on/off RS 3-pin**	**1.115 €**
	Can be attached to 15mm LWS rods as well as 15mm and 19mm studio rod systems. Triggers run functionality on cameras fitted with 3-pin RS run signals, such as ALEXA, AMIRA and many third party cameras. Lightweight and durable handgrip set based on ARRI rosettes. includes: K2.47861.0 1x Handgrip without on/off switch K2.47862.0 1x Handgrip with on/off switch RS-3 pin K2.47863.0 2x Handgrip Extension, long K2.66277.0 1x Universal Bridge Support (UBS-2)	
K0.0002970	**UBS-2 Handgrip Set on/off Hirose 4-pin** **new**	**1.115 €**
	Can be attached to 15mm LWS rods as well as 15mm and 19mm studio rod systems. Triggers run functionality on cameras fitted with 4-pin Hirose run signals, such as Sony PMW F5 and F55. Lightweight and durable handgrip set based on ARRI rosettes. includes: K2.47861.0 1x Handgrip without on/off switch K2.66278.0 1x Handgrip on/off switch Hirose 4-pin K2.47863.0 2x Handgrip Extension, long K2.66277.0 1x Universal Bridge Support (UBS-2)	
K2.0001021	**Articulating Handgrip Set**	**1.850 €**
	Extremely durable and ergonomically formed articulating handgrip for right camera side that attaches to the rosette of any ARRI camera. Includes REC button and short built-in cable to RS connector (Fischer 3 pin) and for left camera side without connector. includes: K4.54521.0 Articulating Handgrip Right & K4.54523.0 Articulating Handgrip Left	
K2.47648.0	**Handgrip Extension, short**	**135 €**
	An extension that attaches between the camera body and the handgrip to move the handgrip further away (forward) from the camera body (measurement from end to end: 100 mm).	
K2.47136.0	**Extension Tube for Handgrip**	**120 €**
	A short aluminum rod that attaches between camera body and handgrip to move the handgrip further away (left or right) from the camera body.	
K2.66209.0	**Universal Shoulder Pad (USP-2) for Lightweight Support**	**310 €**
	Fitting to 15 mm lightweight support rods, this modular shoulder pad makes operating smaller video cameras, DSLRs and equipped with film-style accessories and ALEXA M head and ALEXA XT M head much easier. Shipped with both straight and curved foam pads to suit all operators' needs. includes: K2.66168.0 1x Universal Mounting Bracket (UMB-1) for Lightweight Support	

Ident. Nr	Product Description	Price / EURO
Recorder/Battery Bracket		
	Solutions for mounting hardware such as external recorders and batteries on ARRI and third-party cameras.	
K0.60188.0	**CODEX/ALEXA Onboard S Bracket Set**	**700 €**
	includes: K2.0001017 1x Handle Extension Block (HEB-3) K2.66189.0 1x Recorder Battery Hinge (RBH-1) K2.66188.0 1x Recorder Battery Plate (RBP-1) K2.66193.0 1x Codex Recorder Adapter (CRA-2)	
K2.66188.0	**Recorder Battery Plate (RBP-1)**	**210 €**
	Threaded to receive most recorders as well as Gold Mount or V-Lock battery plates. Can be bolted to the UMB-1 Universal Mounting Bracket or UBS-1 and LBS-1. Assembled it can be angled with the RBH-1 hinge that provides 180° tilt capability and can be doubled to accommodate the heaviest recorders.	
K2.66189.0	**Recorder Battery Hinge (RBH-1)**	**235 €**
	The strong hinge locks via a rosette and mounts through a standard 3/8-16" interface with removable anti-rotation pins. The ARRI Rosette Based Hinge is not limited to the Recorder and Battery Bracket, and can be used for other purposes.	
K2.66194.0	**Codex Recorder Adapter (CRA-1)**	**110 €**
	CRA-1 Adapter Plate is needed to allow dismounting of the Codex Onboard without having to remove the power source fixed on the other side of the Recorder Plate RBP-1	
K2.66193.0	**Codex Recorder Adapter (CRA-2)**	**130 €**
	CRA-2 Adapter Plate is needed for quick release of the Codex CDX-3600 Onboard S on the Recorder Plate RBP-1	
Support Rods Ø 15 mm		
	The lightweight stainless steel rods are built using the same high quality materials as traditional rods with a wall thickness optimised for weight. The lightweight stainless steel rods still offer the same strength, unrivaled glide and clamping quality as the traditional stainless steel rods while being up to 50% lighter in weight	
K2.66254.0	**Support Rods 140 mm (5.5"), Ø 15 mm**	**65 €**
	One pair Ø 15 mm, stainless steel, lightweight	
K2.66253.0	**Support Rods 240 mm (9.4"), Ø 15 mm**	**75 €**
	One pair Ø 15 mm, stainless steel, lightweight	
K2.66252.0	**Support Rods 340 mm (13.4"), Ø 15 mm**	**100 €**
	One pair Ø 15 mm, stainless steel, lightweight	
K2.0001031	**Support Rods 440 mm (17.3"), Ø 15 mm**	**130 €**
	One pair Ø 15 mm, stainless steel.	
K2.72029.0	**Support Rods 540 mm (21.3"), Ø 15 mm**	**155 €**
	One pair Ø 15 mm, stainless steel.	

Ident. Nr	Product Description	Price / EURO
Support Rods Ø 19 mm		
	The lightweight stainless steel rods are built using the same high quality materials as traditional rods with a wall thickness optimised for weight. The lightweight stainless steel rods still offer the same strength, unrivaled glide and clamping quality as the traditional stainless steel rods while being up to 50% lighter in weight	
K2.66270.0	**Support rods 240 mm (9.4"), Ø 19 mm**	**95 €**
	One pair Ø 19 mm, stainless steel, lightweight	
K2.66269.0	**Support rods 340 mm (13.4"), Ø 19 mm**	**110 €**
	One pair Ø 19 mm, stainless steel, lightweight	
K2.0001022	**Support rods 440 mm (17.3"), Ø 19 mm**	**130 €**
	One pair Ø 19 mm, stainless steel.	
K2.72028.0	**Support rods 540 mm (21.3"), Ø 19 mm**	**155 €**
	One pair Ø 19 mm, stainless steel.	
K2.55023.0	**Lightweight Support Rods 165 mm (6.5"), Ø 19 mm**	**40 €**
	On pair Ø 19 mm support rods, 165 mm long, lightweight high-strength aluminum alloy with an extra hard coating.	
K2.55024.0	**Lightweight Support Rods 185 mm (7.3"), Ø 19 mm**	**55 €**
	One pair Ø 19 mm support rods, 185 mm long, lightweight high-strength aluminum alloy with an extra hard coating.	

Ident. Nr	Product Description	Price / EURO

Mounting Hardware

K2.0001223	**Shoulder Belt Adapters, SBA-1**	**28 €**
	Offers compatibility with standard ENG shoulder belts.	
K0.60209.0	**Rod Mounting Bracket RMB-2 Set**	**160 €**
	The Rod Mounting Bracket RMB-2 can be attached to any ARRI 3/8-16" interface and holds a standard 19 mm rod (15 mm rod with a reduction insert) includes: K2.66250.0 1x Rod Mounting Bracket, RMB-2 K2.66255.0 1x 15 mm Reduction Insert	
K0.60211.0	**Basic Set 15 mm Reduction Insert**	**110 €**
	The 15 mm reduction insert can be fitted to any 19 mm rod mount to allow compatibility with 15 mm rods. includes: K2.66255.0 5x 15 mm Reduction Insert	
K0.60210.0	**Pro Set 15 mm Reduction Insert**	**200 €**
	The 15 mm reduction insert can be fitted to any 19 mm rod mount to allow compatibility with 15 mm rods. includes: K2.66255.0 10x 15 mm Reduction Insert The 15 mm reducing insert can be fitted to any 19 mm rod mount to allow compatibility with 15 mm rods.	
K2.66255.0	**15 mm Reduction Insert**	**25 €**
	The 15 mm reducing insert can be fitted to any 19 mm rod mount to allow compatibility with 15 mm rods.	
K2.66256.0	**Microphone Bracket Holder MBH-1**	**75 €**
	The Microphone Bracket Holder provides offset support for any standard microphone bracket fitted with a 3/8" thread. The Microphone Bracket Holder can be attached to any ARRI 3/8" accessory interface, such as handles, cage arms and top plates.	
K2.0001016	**Handle Extension Block (HEB-1)**	**160 €**
	Attaches to the Center Camera Handle (CCH-1) or any 3/8"-16 UNC threaded mounting point. When attached to the front of the Center Camera Handle (CCH-1), the tape hook is excatly in the sensor plane. Includes 3x 3/8"-16 UNC threaded mounting points.	
K2.0001017	**Handle Extension Block (HEB-3)**	**160 €**
	Attaches to the ALEXA Center Camera Handle (CCH-1) or any 3/8"-16 UNC threaded mounting point. When attached to the front of the Center Camera Handle (CCH-1), the tape hook is excatly in the sensor plane. Includes 3x 3/8"-16 UNC threaded mounting points.	
K2.52080.0	**Quick Change Adapter 3/8" Set for UMC and other accessories**	**405 €**
	26mm dovetail insert. Both sides attach to 3/8-16 UNC thread mounting points having standard ARRI Ø 15,5mm counterbore for attaching and quickly removing accessories from a camera (compatible with all UMC versions). includes: K2.52082.0 1x Dovetail Insert, 3/8" Thread K2.52083.0 1x Dovetail Shoe, 3/8" thread	
K2.41101.0	**Lightweight Mini Monitor Arm MMA-65**	**350 €**
	A 65 mm long simple and lightweight arm for attaching accessories with 3/8-16 UNC mounting points to cameras with 3/8-16 mounting points.	
K2.65020.0	**Universal Mounting Arm UMA-120**	**360 €**
	Articulated accessory holder arm for attaching accessories with 3/8-16 UNC mounting points to cameras with 3/8-16 mounting points. 120 mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8-16 UNC threaded holes or ARRI 3/8-16 mounting points with locating pins.	

Ident. Nr	Product Description	Price / EURO
K2.41100.0	**Universal Mounting Arm, UMA-240**	**395 €**
	Articulated accessory holder arm for attaching accessories with 3/8-16 UNC mounting points to cameras with 3/8-16 mounting points. 240mm / 9.4" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8-16 UNC threaded holes or ARRI 3/8-16 mounting points with locating pins.	

Ident. Nr	Product Description	Price / EURO

Wireless Compact Unit WCU-4

The Wireless Compact Unit WCU-4 is a sophisticated, feature-rich and user-friendly 3-axis hand unit for remote lens and camera control. It includes an integrated lens data display and offers extended ALEXA camera control.

K2.72103.0	**Wireless Compact Unit WCU-4** 3-axis wireless hand unit with integrated lens data display. Works with ALEXA Plus and Studio cameras and UMC-4, SMC-1 and EMC-1 motor controllers. Set includes hand unit, hand strap, lanyard, one plain focus ring (K2.72117.0) and user manual. Battery and charger need to be ordered separately: K2.47851.0 - NP-FM500H Battery (Sony) K2.0002065 - BC-QM1 Battery Charger (Sony)	**5.950 €**
10.0000268	**ALEXA Remote License for WCU-4** Enables the Wireless Compact Unit WCU-4 to change settings on ALEXA cameras. Available in ARRI License Shop: www.alshop.arri.de	**250 €**

Single Axis Unit SXU-1

The Single Axis Unit SXU-1 controls a single lens axis.
On set the SXU-1 perfectly complements the 3-axis Wireless Compact Unit WCU-4 as a separate iris control unit, or it can be used on its own, offering a low cost option to productions that do not need multi-axis wireless lens control.

K2.0000071	**Single Axis Unit SXU-1** Single-axis wireless hand unit for iris, focus or zoom control. Works with ALEXA Plus and Studio cameras and UMC-4, SMC-1 and EMC-1 motor controllers. Set includes hand unit, hand strap, lanyard, one plain marking ring (K2.72117.0) and user manual (incl. standard wooden handgrip; optional Rigger Grip has to be ordered separately). Battery and charger need to be ordered separately: K2.47851.0 - NP-FM500H Battery (Sony) K2.0002065 - BC-QM1 Battery Charger (Sony)	**3.200 €**

Accessories for WCU-4 and SXU-1 Hand Units

K2.47851.0	**NP-FM500H Battery (Sony)** Powers Wireless Compact Unit WCU-4, Single Axis Unit SXU-1 or Wireless Zoom Extension WZE-3.	**140 €**
K2.0002065	**BC-QM1 Battery Charger (Sony)** Charges NP-FM500H battery.	**140 €**
K2.0002136	**Cable LCS to LCS (3,5m/11ft)** Connects hand unit and motor controller for wired operation.	**160 €**

Zoom Main Unit ZMU-3A

The Zoom Main Unit ZMU-3A is a handgrip zoom controller that can be mounted on tripod pan arms while being connected to camera and motor.

K2.65003.A	**Zoom Main Unit ZMU-3A** Ergonomic handgrip zoom controller. Works with ALEXA Plus and Studio cameras and UMC-4, SMC-1 and EMC-1 motor controllers.	**2.950 €**
K2.65150.W	**Wireless Zoom Extension WZE-3** Wireless transmitter for the Zoom Main Unit ZMU-3A. Works with ALEXA Plus and Studio cameras and UMC-4, SMC-1 and EMC-1 motor controllers. Battery and charger need to be ordered separately: K2.47851.0 - NP-FM500H Battery (Sony) K2.0002065 - BC-QM1 Battery Charger (Sony)	**2.725 €**
K2.65009.0	**Cable ZMU-3A to LCS (0.8m/2.5ft)** Connects Zoom Main Unit ZMU-3A to Universal Motor Controllers and all ALEXA cameras with Plus module. Length: 0.8m/2.5ft.	**225 €**

Ident. Nr	Product Description	Price / EURO

Universal Motor Controller UMC-4

The Universal Motor Controller UMC-4 is an advanced 3-axis motor controller. By incorporating ARRI's LDS Lens Data Archive, the UMC-4 goes beyond mere camera and lens control to offer the added value of lens data that is useful both on set and in post.

K2.0002058	**Universal Motor Controller UMC-4 LDS** 3-axis wireless motor controller with LDS lens data functionality. Works with WCU-4, SXU-1, ZMU-3A and WZE-3. Set includes L-Bracket, Antenna, SD card and user manual.	**4.490 €**
K2.0001967	**L-Bracket** L-shaped bracket with 3/8" screws. Allows mounting UMC-4, SMC-1 and EMC-1 motor controllers to ARRI camera handles.	**100 €**
K2.0001637	**Cable UMC-4 RS IN to RS** Connects RS IN connector on UMC-4 to RS connector on camera side. Provides power supply and camera RUN/STOP function. Length: 0.5m/1.6ft.	**160 €**
K2.65239.0	**Cable UMC-3/4 to ALEXA** Connects Universal Motor Controller CAM connector to the EXT connector on the ALEXA family of cameras. Provides camera RUN/STOP function and tally. Length: 0.8m/2.6ft	**280 €**
K2.0001604	**Cable UMC-4 to AMIRA** Connects Universal Motor Controller CAM connector to AMIRA EXT connector. Provides camera RUN/STOP function and tally with AMIRA SUP 1.1 onwards. Length: 0.5m/1.6ft.	**180 €**

Mini Motor Controllers

The mini motor controllers are small and lightweight devices, providing basic lens control functionality for setups where size and weight matter.

K2.0001469	**Single Motor Controller SMC-1** Compact 1-axis wireless motor controller designed for weight and size-critical setups such as Steadicam or camera drones. Drives a single CLM motor and is the perfect counterpart for the SXU-1 single-axis hand unit. Also works with WCU-4, ZMU-3A and WZE-3.	**1.800 €**
K2.0001474	**ENG Motor Controller EMC-1** Motor Controller for use with ENG-type lenses such as Fujinon Cabrio zooms. Controls the integrated focus, iris, and zoom motors of such ENG lenses and provides lens data for display on the WCU-4 hand unit. Works with WCU-4, SXU-1, ZMU-3A and WZE-3.	**1.800 €**
K2.0003418	**Cable EMC-1 to Fujinon ZK lenses** **new** Connects EMC-1 to 20 pin connector on Fujinon ZK lenses. Additional power cable required. Length: 0.5m/1.6ft.	**160 €**
K2.0001606	**Cable SMC/EMC to RS** Connects SMC-1 and EMC-1 motor controllers to ARRI RS connector. Provides camera RUN/STOP and tally function. Works with ALEXA and AMIRA cameras. Length: 0.5m/1.6ft	**160 €**

Controlled Lens Motor CLM-2

CLM-2 is a compact, lightweight motor offering extremely quiet operation under moderate torque and speed conditions.

K2.52036.0	**Controlled Lens Motor CLM-2** Compact motor unit with integrated 19/15mm rod clamp, motor cable and 0.8 module gear.	**2.900 €**

Controlled Lens Motor CLM-3

The Controlled Lens Motor CLM-3 provides unprecedented torque and speed for the stiffest lenses and coldest conditions. Convenience and flexibility are enhanced as the lens driver gear to be mounted on either side of the motor.

K0.60057.0	**Controlled Lens Motor CLM-3 (Basic Set)** Includes CLM-3 motor unit, motor cable, standard clamp console 19/15mm for CLM-3 and 0.8 module gear.	**3.100 €**

Ident. Nr	Product Description	Price / EURO

Controlled Lens Motor CLM-4

The Controlled Lens Motor CLM-4 is a quiet lens motor with gear modules that can be mounted either side of the motor. Various mounting options offer maximum flexibility when attaching the motor the lens.

K0.60185.0	**Controlled Lens Motor CLM-4 (Basic Set)**	**2.100 €**
	Includes CLM-4 motor unit, motor cable, standard clamp console 19/15mm for CLM-4 and gear set with modules 0.8, 0.6, 0.5, 0.4.	

Ultrasonic Distance Measure UDM-1

The Ultrasonic Distance Measure UDM-1 is a small and lightweight distance measuring device that works with any camera.

K0.60055.0	**Ultrasonic Distance Measure UDM-1 (Basic Set)**	**4.480 €**
	Includes UDM-1 sensor unit, UDM-1 display unit and cable from sensor unit to display unit. Proposed mounting option (to be ordered separately): Universal Mounting Arm UMA-120 (K2.65020.0) Power cable has to be ordered separately, see below.	
K2.65240.0	**Cable UDM to RS**	**135 €**
	Connects UDM-1 to ARRI RS connector. Length: 1.5m/5ft.	
K2.65261.0	**Cable UDM to ALEXA**	**135 €**
	Connects UDM-1 to ALEXA EXT connector. Length: 1.5m/5ft.	

Price List 10/2014

General Sale and Delivery Terms and Conditions for Merchants(1)

1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI‘s current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflict with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

2. Contract Formation

2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.

2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer‘s receipt of ARRI‘s written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.

2.3 The scope and type of delivery for an order shall be established solely through ARRI‘s written confirmation relating to such order. Any errors or omissions in ARRI‘s sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

3. Payment, Set-Off, Withholding

3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply ex works, exclusive of any value-added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer‘s request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.

3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.

3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.

3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

4. Delivery

4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.

4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.

4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI‘s obligation to deliver or make the goods available shall be deemed extinguished in its entirety.

4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.

4.5 Events of force majeure shall be deemed to be any events which are beyond ARRI‘s control and which make delivery impossible or unreason-ably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI‘s control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for non-performance can be claimed by the customer only if the default in delivery is due to ARRI‘s gross negligence or is intentionally caused by ARRI.

5. Transfer of Risk

5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.5.2 If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the

goods for dispatch.

6. Defective Goods

6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.

6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.

6.3 If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish ist re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.

6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

6.5 The prescription period of one year in Section 6.4 above shall be replaced by a prescription period of two years for goods from the product range „Light" of ARRI that are distributed under the brand „ARRI".

7. Liability

7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by ist gross negligence.

7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or healthrelated damage attributable to ARRI.

7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.

7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.

7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of ist contractual obligations.

7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

8. Retention of Title

8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.

8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of ist correlating rights and claims against such third party. ARRI hereby accepts such assignment.

8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been re-sold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.

8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of ist claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

General Sale and Delivery Terms and Conditions for Merchants(1)

9. Jurisdiction; Governing Law

9.1 The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.

9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

Last modified: 1st January 2006

(1)Kaufleute as defined in the HGB [German Commercial Code]

Price List 10/2014

Allgemeine Verkaufs- und Lieferbedingungen der Arnold & Richter Cine Technik GmbH & Co Betriebs KG für Kaufleute

1. Allgemeines - Geltungsbereich

Diese Geschäftsbedingungen gelten für die gesamte gegenwärtige und künftige Geschäftsbeziehung ausschließlich. Entgegenstehende oder abweichende Geschäftsbedingungen oder vertragsändernde Bestimmungen sind selbst bei Kenntnis unverbindlich, wenn ARRI ihrer Geltung nicht schriftlich zustimmt. Ihnen wird hiermit ausdrücklich widersprochen.

2. Vertragsschluss

2.1 Die Angebote von ARRI sind freibleibend und unverbindlich, sofern keine Bindungsdauer vereinbart wurde.

2.2 Der Kunde ist an seinen Auftrag vier Wochen nach Zugang bei ARRI gebunden. Ein Vertrag kommt mit Zugang der schriftlichen Bestätigung von ARRI oder Anlieferung beim Kunden zustande.

2.3 Art und Umfang der Lieferung bestimmt sich ausschließlich nach der Auftragsbestätigung durch ARRI. Etwaige irrtumsbedingte Fehler in Verkaufsprospekten, Preislisten, Angebotsunterlagen oder sonstigen Dokumentationen von ARRI dürfen berichtigt werden, ohne dass eine Schadensersatzpflicht entsteht.

3. Zahlung, Aufrechnung, Zurückbehaltungsrecht

3.1 Der Kaufpreis ist der von ARRI genannte Preis, und gilt ab Werk, exklusive MwSt., soweit nicht genannt gilt die gültige Preisliste. Beim Versendungskauf werden Verpackungs-, Verladungs-, Frachtkosten, Zollkosten oder sonstige Kosten gesondert berechnet. Befindet sich der Kunde am Fälligkeitstag im Annahmeverzug, muss er dennoch den Kaufpreis zahlen.

3.2 Steigen nach Vertragsschluss die Kostenfaktoren für die Herstellung des Vertragsgegenstandes, insbesondere aber nicht abschließend Löhne, Gehälter, Material- oder Produktionskosten ist ARRI berechtigt, die Preise entsprechend zu erhöhen.

3.3 Rechnungen von ARRI sind nach Bereitstellung der Ware ohne Abzug fällig und innerhalb von 10 Tagen nach Ausstellung zahlbar. Bei Verzug ist die Geldschuld mit 8% über dem Basiszinssatz zu verzinsen. Die Geltendmachung weitergehender Verzugsschäden ist vorbehalten.

3.4 Der Kunde kann nur mit rechtskräftig festgestellten oder anerkannten Gegenansprüchen aufrechnen. Ein Zurückbehaltungsrecht des Kunden besteht nur bei Gegenansprüchen aus demselben Vertragsverhältnis.

4. Lieferung

4.1 Die Liefer- bzw. Bereitstellungszeiten sind unverbindlich, sofern nicht schriftlich ein Fixtermin vereinbart wurde.

4.2 ARRI ist zu Vorab- und Teillieferungen berechtigt.

4.3 Wird ARRI die Lieferung bzw. Bereitstellung infolge höherer Gewalt, mindestens für einen Zeitraum von 3 Monaten unmöglich, entfällt die Lieferpflicht.

4.4 ARRI ist berechtigt, die Lieferung bzw. Bereitstellung um die Dauer der Behinderung hinauszuschieben.

4.5 Unter den Begriff der höheren Gewalt fallen alle Umstände, welche ARRI nicht zu vertreten hat und durch die die Lieferung unmöglich oder unzumutbar erschwert wird, wie z.B. Streik, rechtmäßige Aussperrung, Krieg, Ein- und Ausfuhrverbote, Energie- und Rohstoffmangel und von ARRI nicht zu vertretende, nicht rechtzeitige Selbstlieferung. Wird ARRI von seiner Lieferpflicht frei, kann der Kunde vom Vertrag zurücktreten. Schadensersatz wegen Nichterfüllung darf der Kunde nur geltend machen, wenn der Lieferverzug auf grobem Verschulden oder auf Vorsatz von ARRI beruht.

5. Gefahrübergang

5.1 Die Gefahr geht auf den Kunden über, sobald der Vertragsgegenstand ab Werk abgesendet bzw. an die den Transport ausführende Person oder den Kunden übergeben wird. Dies gilt auch beim Transport durch ARRI.

5.2 Verzögert sich der Versand bzw. die Abholung infolge von Umständen, die der Kunde zu vertreten hat, so geht die Gefahr mit der Versandbereitschaft auf ihn über.

6. Rechte des Kunden bei Mängeln

6.1 Der Kunde hat die Sache unverzüglich zu untersuchen. Offensichtliche Mängel sind binnen einer Woche nach Zugang der Ware schriftlich anzuzeigen, verdeckte Mängel binnen 2 Wochen nach deren Auftreten, spätestens innerhalb eines Jahres. Versäumt der Kunde diese Ausschlussfristen gilt die Ware als genehmigt. Rechte aus Ziffer 6.2 und 6.3 bestehen nicht.

6.2 Steht dem Kunden aufgrund eines rechtzeitig angezeigten Mangels ein Nacherfüllungsanspruch zu, kann ARRI den Mangel unentgeltlich beseitigen oder eine mangelfreie Sache liefern.

6.3 Schlägt eine Nachbesserung durch ARRI zweimal fehl, erbringt ARRI die Nacherfüllung nicht oder nicht innerhalb der vom Kunden gesetzten angemessenen Nachfrist, kann der Kunde mindern oder vom Vertrag zurücktreten. Der Kunde kann statt der Leistung Aufwendungs- oder Schadensersatz verlangen. Wählt der Kunde den Rücktritt vom Vertrag, steht ihm daneben kein Schadensersatz wegen des Mangels zu.

6.4 Die Ansprüche des Kunden verjähren 1 Jahr nach Übergabe der Ware sofern ARRI nicht arglistig handelt.

6.5 An die Stelle der Verjährungsfrist von 1 Jahr in Ziffer 6.4 tritt eine Verjährungsfrist von 2 Jahren, sofern es sich um Waren aus dem Produktbereich „Licht“ von ARRI handelt, die unter der Bezeichnung „ARRI“ vertrieben werden.

7. Haftung

7.1 ARRI haftet für Vorsatz und grobe Fahrlässigkeit.

7.2 Für einfache Fahrlässigkeit haftet ARRI nur bei vertragstypischen und vorhersehbaren Schäden, sofern wesentliche Vertragspflichten (Kardinalpflichten) verletzt werden, sowie bei zurechenbaren Körper- und Gesundheitsschäden.

7.3 Eine Haftung für mittelbare und unvorhersehbare Schäden sowie Mangelfolgeschäden und entgangenem Gewinn ist bei einfacher Fahrlässigkeit ausgeschlossen.

7.4 Eine weitergehende Haftung von ARRI als in diesen Geschäftsbedingungen vorgesehen ist ausgeschlossen.

7.5 Soweit die Haftung von ARRI ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung von Erfüllungsgehilfen.

7.6 Diese Haftungsbeschränkungen gelten nicht für eine gesetzlich vorgeschriebene verschuldensunabhängige Haftung, insbesondere aus Garantie oder Produkthaftungsgesetz.

8. Eigentumsvorbehalt

8.1 Die gelieferten Waren bleiben bis zur vollständigen Bezahlung Eigentum von ARRI. Das Eigentum geht erst mit Ausgleich sämtlicher Verbindlichkeiten aus der laufenden Geschäftsbeziehung auf den Kunden über.

8.2 Der Kunde ist nicht berechtigt, die Vorbehaltsware zu verpfänden, zur Sicherung zu übereignen, zu verarbeiten oder umzugestalten. Er ist berechtigt, die Ware im ordentlichen Geschäftsgang an Dritte zu veräußern, es sei denn, es besteht für die Gegenleistung ein Abtretungsverbot zwischen dem Kunden und dem Dritten. Erwirbt ein Dritter Rechte an dem Sicherungsgut, so tritt der Kunde schon jetzt sämtliche hierdurch entstehenden Rechte an ARRI ab, die durch die Weiterveräußerung gegen den Dritten erwachsen. ARRI nimmt die Abtretung an.

8.3 Eine Verbindung, Vermischung oder Verarbeitung des Vertragsgegenstandes (§§ 947, 948 und 950 BGB) gilt als im Auftrag von ARRI erfolgt. ARRI erwirbt das Eigentum an der hergestellten Sache im Verhältnis des Rechnungswertes der eigenen Leistung zum Gesamtrechnungswert der hergestellten Sache. Im Falle der Weiterveräußerung gilt die Abtretung der Forderung aus dem Weiterverkauf entsprechend Ziffer 8.2 nur bis zur Höhe des Rechnungswertes der von ARRI erbrachten Leistung.

8.4 Bei Verzug des Kunden kann ARRI Sicherungsrechte offen legen und alle Rechte selbst geltend machen. Der Kunde muss ARRI alle Unterlagen zur Geltendmachung aushändigen sowie umfassend und rechtzeitig von jedem obige Verpflichtungen betreffenden Vorgang Auskunft erteilen.

9. Gerichtsstand, Anwendbares Recht

9.1 Beide Parteien erklären sich mit der ausschließlichen Zuständigkeit des Gerichtsstands München einverstanden.

9.2 Es gilt ausschließlich das Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechtes.

Stand: 1. Januar 2006